

KUNMING

www.kunming.com.tw



KUNMING Product Guide

COMPANY PROFILE

Establishment : Feb.28,1978

Chairman & President : Mr. K.M. Sun

Capital :USD 2,500,000

Employee:250 (Includes China Factory)

Kunming Product Trademark 

MAJOR CUSTOMERS

- | | | |
|---------------|-------------|-----------|
| • ALCO | • AVNET | • SHARP |
| • CITIZEN | • SANLUX | • SONY |
| • FLEXTRONICS | • SIIX | • TEAC |
| • CASIO | • OMRON | • YAMAHA |
| • KORG | • PANASONIC | • WISTRON |
| • JVC KENWOOD | • ROLAND | |
| • FUJI | • VTECH | |

INDEX

USB SERIES		DC JACK	14
USB Type C	1	PHONE JACK	18
USB 2.0/3.0	4	PIN JACK	22
SWITCH SERIES		RJ-45 CONN.	24
Led Tact Switch	5	FPC CONN.	25
Tact Switch	8	AC SOCKET	27
Slide Switch	12	HDMI CONN.	29
Push Switch	13	CARD CONN.	31

USB Type C



KMTCP049011240111



KMTCR015211240311



KMTCR023211240201



KMTCR0416112402J1



KMTCR0421112402J3



KMTCR055712160201



KMTCR063211240201



KMTCR113311240321



KMTCR1332111602T1



KMTCR143211160201



KMTCR161612160201



KMTCR162412160201



KMTCR2332111602G2



KMTCR311612160201



KMTCR321612160201



KMTCR321612160231



KMTCR4010112402T1



KMTCR4165111602T1



KMTCR416511240211



KMTCR457811160201



KMTCR481312160201



KMTCR516512060121



KMTCR523212060221



KMTCR531612060121

USB SERIES



KMTCR561512240211

KMTCR645511240711

KMTWR013212240211

KMTWR044212040201



KMTWR084612060201

KMTWR153411060211

KMTWR156412060201

KMUCW16F002SSGBCG1Y

	P/N	焊腳數 Pin 不含殼 Without Shell	額定 電流 (A)	額定 電壓 (V)	直立、臥式 Vertical Horizontal	沉版 Middle Mount	中心高 Center Height (mm)	Stand-Off 懸空墊高 (mm)	SMT PIP 焊線式 (WELDING) (不含殼)	插拔次數 Durability	TID Certification	防水 等級 Waterproof Level	傳輸速度 Transfer Speed 5/10Gbps	帶耳 With Ears (鎖螺絲) Screw Lock	側立 Side Stand
1	KMTCP 049011240111	24	3.0	12	Vertical		N/A		SMT	10000			5Gbps		
2	KMTCR 015211240311	24	1.5	30	Horizontal		3.4		SMT+PIP	10000			5Gbps		
3	KMTCR 023211240201	24	1.5	30	Horizontal		1.68		SMT+PIP	10000			5Gbps		
4	KMTCR 0416112402J1	24	1.5	30	Horizontal	•	0		SMT	10000			5Gbps		
5	KMTCR 0421112402J3	24	1.5	30	Horizontal	•	0		SMT	10000			5Gbps		
6	KMTCR 055712160201	16	5.0	12	Horizontal		3.18		SMT	10000			5Gbps		
7	KMTCR 063211240201	24	1.5	30	Horizontal		1.68		SMT	10000			5Gbps		
8	KMTCR 113311240321	24	3.0	12	Horizontal		1.73		SMT+PIP	10000			5Gbps		
9	KMTCR 1332111602T1	16	1.5	30	Horizontal		1.68		SMT	10000	•		5Gbps		
10	KMTCR 143211160201	16	1.5	30	Horizontal		1.62		SMT	10000			5Gbps		
11	KMTCR 161612160201	16	1.5	30	Horizontal	•	0		SMT	10000			5Gbps		
12	KMTCR 162412160201	16	1.5	30	Horizontal	•	0.8		SMT	10000			5Gbps		
13	KMTCR 2332111602G2	16	1.5	30	Horizontal		1.68		SMT	10000			5Gbps	•	
14	KMTCR 311612160201	16	1.5	30	Horizontal	•	0		SMT	10000			5Gbps		
15	KMTCR 321612160201	16	1.5	30	Horizontal	•	0		SMT	10000			5Gbps	•	
16	KMTCR 321612160231	16	1.5	30	Horizontal	•	0		SMT	10000			5Gbps	•	
17	KMTCR 4010112402T1	24	1.5	30	Vertical		N/A		SMT	10000	•		5Gbps		
18	KMTCR 4165111602T1	16	5.0	30	Vertical		N/A		SMT	10000	•		5Gbps		•

	P/N	焊腳數 Pin 不含殼 Without Shell	額定 電流 (A)	額定 電壓 (V)	直立、臥式 Vertical Horizontal	沉版 Middle Mount	中心高 Center Height (mm)	Stand-Off 懸空墊高 (mm)	SMT PIP 焊線式 (WELDING) (不含殼)	插拔次數 Durability	TID Certification	防水 等級 Waterproof Level	傳輸速度 Transfer Speed 5/10Gbps	帶耳 With Ears (鎖螺絲) Screw Lock	側立 Side Stand
19	KMTCR 416511240211	24	1.5	30	Vertical		N/A		SMT	10000			5Gbps		
20	KMTCR 457811160201	16	1.5	30	Horizontal		5.9		SMT	10000			5Gbps		
21	KMTCR 481312160201	16	5.0	30	Horizontal		7.05		PIP	10000			5Gbps		•
22	KMTCR 516512060121	6	3.0	12	Vertical		N/A		SMT	10000			N/A		
23	KMTCR 523212060221	6	3.0	30	Horizontal		1.68		SMT	5000			N/A		
24	KMTCR 531612060121	16	3.0	30	Horizontal	•	0		SMT	10000			5Gbps		
25	KMTCR 561512240211	24	5.0	10	Horizontal	•	-0.28		SMT	10000			5Gbps		
26	KMTCR 645511240711	24	5.0	30	Horizontal		3.68	1.45	SMT	10000			5Gbps		
27	KMTWR 013212240211	24	5.0	10	Horizontal		1.5		SMT	10000		IP-X7	5Gbps		
28	KMTWR 044212040201	4	2.5	10	N/A		N/A		WELDING	5000		IP-X7	N/A		
29	KMTWR 084612060201	6	3.0	10	Horizontal		2.24		SMT	5000		IP-X8	N/A		
30	KMTWR 153411060211	6	3.0	10	Horizontal		1.64		SMT	5000		IP-X7	N/A		
31	KMTWR 156412060201	6	3.0	10	Vertical		N/A		SMT	5000		IP-X7	N/A		
32	KMUCW 16F002SSGBCG1Y	16	3.0	5	Vertical		/	0.4	DIP	10000		IPX7	5Gbps		

USB 2.0 / 3.0



KMNU20F001



KMUA20F001



KMUA20F002



KMUA20F003



KMUA20F005



KMUA20F006



KMUA20F007



KMUA20F008



KMUA30F009



KMUA30F010



KMUA30F011



KMUS20F001

	P/N	USB 2.0/3.0	USB Type	雙層 Stacked	直立、臥式 Vertical Horizontal	側立 Side Stand	懸空墊高 Stand-Off (mm)	中心高 Center Height (mm)	SMT PIP DIP (不含殼)	額定 電流 (A)	額定 電壓 (V)	插拔次數 Durability
1	KMNU20F001	2.0	miniB		Horizontal		0	2	SMT	1.0	30	1500
2	KMUA20F001	2.0	A		Horizontal	•	0	N/A	DIP	1.5	30	1500
3	KMUA20F002	2.0	A		Vertical		0	N/A	DIP	1.5	30	1500
4	KMUA20F003	2.0	A		Horizontal		0	5.79	DIP	1.5	30	1500
5	KMUA20F005	2.0	A		Horizontal		0	6.54	DIP	1.5	30	1500
6	KMUA20F006	2.0	A		Horizontal		0	4.04	DIP	1.5	30	1500
7	KMUA20F007	2.0	A		Horizontal		0	4.04	SMT	1.5	30	1500
8	KMUA20F008	2.0	A	•	Horizontal		0	4.1/8.5	DIP	1.5	30	1500
9	KMUA30F009	3.0	A		Horizontal		0	5.8	DIP	1.8	100	1500
10	KMUA30F010	3.0	A		Horizontal		0	4.24	DIP	1.8	100	1500
11	KMUA30F011	3.0	A		Horizontal	•	0	7.3	DIP	1.8	100	1500
12	KMUS20F001	2.0	B		Horizontal		0	5.65	DIP	1.5	30	1500

Led Tact Switch



KMPB01101L



KMPB01102L



KMPB01105L



KMPB01106



KMPB01106L



KMPB01107



KMPB01107L



KMPB01108L



KMPB01111L



KMPB01112L



KMPB01140L



KMPB01141L



KMPB01142L



KMPB01155L



KMPB01156L



KMPB01223L



KMPB01224L



KMPB01305



KMPB03101L



KMPB03102



KMPB03105L



KMPB03107



KMPB03111L



KMPB03112L



KMT C011



KMT C011L



KMT C011ML



KMT C012



KMT C012L



KMT C013L

SWITCH SERIES



KMT C013ML



KMT C031L



KMT C03ML



KMT C041



KMT C041L

	P/N	Led Lights	直立、臥式 Vertical Horizontal	SMT DIP PIP	按壓 (克) Force(g) a.250±50g b.160±50g	按壓壽命 Durability
1	KMPB01101L	•	Vertical	DIP	a、b	100,000
2	KMPB01102L	•	Vertical	DIP	a、b	100,000
3	KMPB01105L	•	Vertical	DIP	a、b	100,000
4	KMPB01106	•	Vertical	DIP	a、b	100,000
5	KMPB01106L	•	Vertical	DIP	a、b	100,000
6	KMPB01107	•	Vertical	DIP	a、b	100,000
7	KMPB01107L	•	Vertical	DIP	a、b	100,000
8	KMPB01108L	•	Vertical	DIP	a、b	100,000
9	KMPB01111L	•	Vertical	DIP	a、b	100,000
10	KMPB01112L	•	Vertical	DIP	a、b	100,000
11	KMPB01140L	•	Vertical	DIP	a、b	100,000
12	KMPB01141L	•	Vertical	DIP	a、b	100,000
13	KMPB01142L	•	Vertical	DIP	a、b	100,000
14	KMPB01155L	•	Vertical	DIP	a、b	100,000
15	KMPB01156L	•	Vertical	DIP	a、b	100,000
16	KMPB01223L	•	Vertical	DIP	a、b	100,000
17	KMPB01224L	•	Vertical	DIP	a、b	100,000
18	KMPB01305	•	Vertical	DIP	a、b	100,000
19	KMPB03101L	•	Vertical	DIP	a、b	100,000
20	KMPB03102	•	Vertical	DIP	a、b	100,000
21	KMPB03105L	•	Vertical	DIP	a、b	100,000
22	KMPB03107	•	Vertical	DIP	a、b	100,000

	P/N	Led Lights	直立、臥式 Vertical Horizontal	SMT DIP PIP	按壓 (克) Force(g) a.250±50g b.160±50g	按壓壽命 Durability
23	KMPB03111L	•	Vertical	DIP	a、b	100,000
24	KMPB03112L	•	Vertical	DIP	a、b	100,000
25	KMTC011	•	Vertical	DIP	a、b	100,000
26	KMTC011L	•	Vertical	DIP	a、b	100,000
27	KMTC011ML	•	Vertical	SMT	a、b	100,000
28	KMTC012	•	Vertical	DIP	a、b	100,000
29	KMTC012L	•	Vertical	DIP	a、b	100,000
30	KMTC013L	•	Vertical	DIP	a、b	100,000
31	KMTC013ML	•	Vertical	SMT	a、b	100,000
32	KMTC031L	•	Vertical	DIP	a、b	100,000
33	KMTC03ML	•	Vertical	SMT	a、b	100,000
34	KMTC041	•	Vertical	DIP	a、b	100,000
35	KMTC041L	•	Vertical	DIP	a、b	100,000

SWITCH SERIES

Tact Switch




KMTSA001



KMTSA004



KMTSA005



KMTSA006



KMTSA007



KMTSA011



KMTSA012



KMTSA013



KMTSA016



KMTSA017



KMTSA018



KMTSA020



KMTSA021



KMTSA022



KMTSA023



KMTSA024



KMTSB001



KMTSB002




KMTSB004



KMTSB005



KMTSB006



KMTSB007



KMTSB008



KMTSB009



KMTSB011



KMTSB013



KMTSB015




KMTSB016



KMTSB019



KMTSB020




KMTSC001



KMTSC002



KMTSC003



KMTSC004



KMTSC005



KMTSC006




KMTSC007



KMTSC008



KMTSC009



KMTSC010



KMTSC011



KMTSC012



KMTSD001



KMTSD003



KMTSD005




KMTSD006




KMTSD009




KMTSD011




KMTSE001



KMTSE002



KMTSE004



KMTSE006



KMTSF001



KMTSG001



KMTSG003



KMTSH001



KMTSH004



KMTSH005



KMTSH008



KMTSH013

SWITCH SERIES



KMTSI001



KMTSI002



KMTSI004



KMTSI008



KMTSI010

	P/N	直立・臥式 Vertical Horizontal	正按 (Pressing) 側按 (Side Press) 反向 (Reverse)	SMT DIP	按壓 (克) Force(g) a.100g d.180g b.130g e.250g c.150g	尺寸 Size (mm)
1	KMTSA001	Vertical	Pressing	SMT	abcde	3.1*2.5*1.2
2	KMTSA004	Horizontal	Side press	DIP	abcde	N/A
3	KMTSA005	Vertical	Pressing	SMT	abcde	3.7*3.7*0.35
4	KMTSA006	Vertical	Pressing	SMT	abcde	3.15*3.15*0.7
5	KMTSA007	Vertical	Pressing	SMT	abcde	3.35*3.35*1.35
6	KMTSA011	Vertical	Pressing	SMT	abcde	3.9*2.9*1.4
7	KMTSA012	Horizontal	Side press	SMT	abcde	N/A
8	KMTSA013	Horizontal	Side press	SMT	abcde	N/A
9	KMTSA016	Vertical	Pressing	SMT	abcde	4.6*3.2*1.8
10	KMTSA017	Vertical	Pressing	SMT	abcde	4.2*3.2*1.8
11	KMTSA018	Horizontal	Side press	SMT	abcde	N/A
12	KMTSA020	Horizontal	Side press	SMT	abcde	N/A
13	KMTSA021	Horizontal	Side press	SMT	abcde	N/A
14	KMTSA022	Horizontal	Side press	SMT	abcde	N/A
15	KMTSA023	Horizontal	Side press	SMT	abcde	N/A
16	KMTSA024	Horizontal	Side press	SMT	abcde	N/A
17	KMTSB001	Horizontal	Side press	SMT	abcde	N/A
18	KMTSB002	Horizontal	Side press	SMT	abcde	N/A
19	KMTSB004	Vertical	Side press	DIP	abcde	N/A
20	KMTSB005	Vertical	Pressing	SMT	abcde	6.1*3.7*1.95
21	KMTSB006	Vertical	Pressing	SMT	abcde	6.1*3.7*1.95
22	KMTSB007	Vertical	Pressing	SMT	abcde	6.1*3.5*1.95
23	KMTSB008	Vertical	Pressing	DIP	abcde	6.1*3.5*1.95
24	KMTSB009	Vertical	Pressing	SMT	abcde	6.0*3.8*1.6
25	KMTSB011	Vertical	Pressing	DIP	abcde	N/A
26	KMTSB013	Vertical	Pressing	SMT	abcde	N/A
27	KMTSB015	Vertical	Pressing	SMT	abcde	N/A
28	KMTSB016	Vertical	Pressing	SMT	abcde	N/A
29	KMTSB019	Horizontal	Side press	SMT	abcde	N/A
30	KMTSB020	Horizontal	Side press	SMT	abcde	N/A
31	KMTSC001	Vertical	Pressing	SMT	abcde	4.5*4.5*0.55
32	KMTSC002	Vertical	Pressing	SMT	abcde	4.8*4.8*0.55
33	KMTSC003	Vertical	Pressing	SMT	abcde	4.8*4.8*0.8
34	KMTSC004	Vertical	Pressing	SMT	abcde	5.5*5.2*0.8

	P/N	直立、臥式 Vertical Horizontal	正按 (Pressing) 側按 (Side Press) 反向 (Reverse)	SMT DIP	按壓 (克) Force(g) a.100g d.180g b.130g e.250g c.150g	尺寸 Size (mm)
35	KMTSC005	Vertical	Pressing	SMT	abcde	5.2*5.2*1.2
36	KMTSC006	Vertical	Pressing	SMT	abcde	5.2*5.2*1.2
37	KMTSC007	Vertical	Pressing	SMT	abcde	5.2*5.2*1.2
38	KMTSC008	Vertical	Pressing	SMT	abcde	5.2*5.2*1.3
39	KMTSC009	Vertical	Pressing	SMT	abcde	5.2*5.2*1.2
40	KMTSC010	Vertical	Pressing	SMT	abcde	5.2*5.2*1.2
41	KMTSC011	Horizontal	Side press	DIP	abcde	N/A
42	KMTSC012	Vertical	Pressing	SMT	abcde	6.2*5.0*1.36
43	KMTSD001	Vertical	Pressing	DIP	abcde	6.0*6.0*3.5
44	KMTSD003	Vertical	Pressing	SMT	abcde	6.0*6.0*3.5
45	KMTSD005	Vertical	Pressing	SMT	abcde	6.0*6.0*3.5
46	KMTSD006	Vertical	Pressing	SMT	abcde	6.0*6.0*3.5
47	KMTSD009	Horizontal	Side press	DIP	abcde	N/A
48	KMTSD011	Horizontal	Side press	DIP	abcde	N/A
49	KMTSE001	Vertical	Pressing	SMT	abcde	6.2*6.2*2
50	KMTSE002	Vertical	Pressing	DIP	abcde	6.2*6.2*2
51	KMTSE004	Vertical	Pressing	SMT	abcde	6.2*6.2*2
52	KMTSE006	Vertical	Pressing	SMT	abcde	6.3*6.2*2.3
53	KMTSF001	Vertical	Pressing	SMT	abcde	6.0*6.0*5.0
54	KMTSG001	Vertical	Pressing	DIP	abcde	12*12*3.5
55	KMTSG003	Vertical	Pressing	SMT	abcde	12*12*3.5
56	KMTSH001	Vertical	Pressing	SMT	abcde	6.65*6.4*2.1
57	KMTSH004	Vertical	Pressing	SMT	abcde	7.8*7.8*2.7
58	KMTSH005	Vertical	Pressing	SMT	abcde	7.1*7.1*2.05
59	KMTSH008	Vertical	Pressing	SMT	abcde	9.8*9.8*1.35
60	KMTSH013	Vertical	Pressing	SMT	abcde	10*10*2.3
61	KMTSI001	Vertical	Pressing	DIP	abcde	6.2*6.2*6.5
62	KMTSI002	Vertical	Pressing	DIP	abcde	10*10*10
63	KMTSI004	Vertical	Reverse	DIP	abcde	6.6*6.6*3.7
64	KMTSI008	Vertical	Pressing	DIP	abcde	7.2*7.2*2.7
65	KMTSI010	Vertical	Pressing	SMT	abcde	7.2*7.2

SWITCH SERIES

Slide Switch



KMMK12C06



KMMK22D10G2B



KMMK22D14G2B



KMMS12D16G3B




KMMS12D17G2B



KMMS22C01G10



KMMS23C01G10



KMSK12D01AG4NF



KMSK12D12G5



KMSS12D06G5




KMSS12D10G3



KMSS12F18G12



KMSS12F30G4WENi115



KMSS12F31G5



KMSS23D11G511

	P/N	行程 (段) Throw	直立・臥式 Vertical Horizontal	SMT DIP	推動 (克) Force(g) a.100g d.180g b.130g e.250g c.150g
1	KMMK12C06	1.5	Horizontal	SMT	d
2	KMMK22D10G2B	2	Horizontal	DIP	d
3	KMMK22D14G2B	2	Horizontal	SMT	d
4	KMMS12D16G3B	2	Vertical	DIP	d
5	KMMS12D17G2B	2	Vertical	SMT	d
6	KMMS22C01G10	1.5	Vertical	SMT	d
7	KMMS23C01G10	1.5	Vertical	SMT	d
8	KMSK12D01AG4NF	2	Horizontal	DIP	d、e
9	KMSK12D12G5	2	Horizontal	DIP	d、e
10	KMSS12D06G5	2.2	Vertical	DIP	d、e
11	KMSS12D10G3	2.2	Vertical	DIP	d、e
12	KMSS12F18G12	3.2	Vertical	DIP	d、e
13	KMSS12F30G4WENi115	3	Vertical	DIP	d、e
14	KMSS12F31G5	3	Vertical	DIP	d、e
15	KMSS23D11G511	3	Vertical	DIP	d、e

Push Switch



KMB22E85L2x3250GF



KMPS12E05H101



KMPS22E08L



KMPS22E58L




KMPS22E70L



KMPS22F06NFCS



KMPS42E85L



KMPSA0501



KMPSA0601



KMPSA0701



KMTSL001



KMTSL002



KMTSL003



KMTSL004

	P/N	行程 (段) Throw	直立、臥式 Vertical Horizontal	SMT DIP	按壓 (克) Force(g) a.50g c.250g b.80g d.300g	a.Lock b.Non-Lock	鎖螺絲孔 Lock Hole
1	KMB22E85L2x3250GF	2.5	Vertical	DIP	c	a、b	
2	KMPS12E05H101	3.5	Horizontal	DIP	c	a、b	
3	KMPS22E08L	1.5	Vertical	DIP	d	a、b	
4	KMPS22E58L	1	Vertical	DIP	d	a、b	
5	KMPS22E70L	1.5	Vertical	DIP	c	a、b	
6	KMPS22F06NFCS	3.2	Horizontal	DIP	c	a、b	•
7	KMPS42E85L	1.5	Vertical	DIP	d	a、b	
8	KMPSA0501	2.3	Horizontal	DIP	d	a	
9	KMPSA0601	2.3	Horizontal	DIP	d	a	•
10	KMPSA0701	1.5	Horizontal	DIP	c	a	
11	KMTSL001	0.1	Horizontal	SMT	a	a、b	
12	KMTSL002	0.4	Horizontal	SMT	a	a、b	
13	KMTSL003	0.5	Horizontal	SMT	b	a、b	
14	KMTSL004	0.3	Vertical	SMT	a	a、b	

DC JACK



HTJ-020-04



HTJ-020-05



KM02006



KM02007



KM02008



KM02009



KM02015



KM02016



KM02019



KM02022



KM02023



KM02027



KM02028



KM02031



KMDC0001D202122



KMDC0001D207120



KMDC0001D257120



KMDC0002D202122



KMDC0002D203120



KMDC0003D20A120



KMDC0005D133120



KMDC0006D257120



KMDC0007D253182



KMDC0008D203120



KMDC0012D257142



KMDC003E



KMDC0045D137120



KMDC005



KMDC0059D167120



KMDC005M200RTGBCT1R



KMDC0060D137120



KMDC0064S250182



KMDC0070D061180



KMDC0076D041182



KMDC0105S170182



KMDC012




KMDC013A



KMDC015



KMDC033



KMDC036



KMDC044



KMDC044H



KMDC045



KMDC045A



KMDC050



KMDC062



KMDC080



KMDC083



KMDC089



KMDZ092A130RTGBCA1R



KMDC098



KMDC153



KMDC450



KMDZ0009D023101



KMDZ0011S022082

DC JACK

	P/N	Center Pin Ø a.1.00mm e.2.35mm b.1.30mm f.2.50mm c.1.65mm g.3.00mm d.2.00mm	直立、臥式 Vertical Horizontal	SMT DIP PIP WELDING (焊線)	額定 電流 (A)	額定 電壓 (V)	中心高 Center Height (mm)	開關 Switch	鎖螺絲孔 Lock Hole
1	HTJ-020-04	d	Horizontal	DIP	3	16	6.5		
2	HTJ-020-05	d	Horizontal	DIP	3	16	6.5		
3	KM02006	c	Horizontal	DIP	2	6.3	6.5		
4	KM02007	c	Horizontal	DIP	2	10.5	6.5		
5	KM02008	c	Horizontal	DIP	2	10.5	3.0		
6	KM02009	d	Vertical	DIP	2	20	NA		
7	KM02015	c	Vertical	DIP	2	6.3	NA		
8	KM02016	c	Horizontal	DIP	2	6.3	6.5		
9	KM02019	g	Horizontal	DIP	3	16	7		
10	KM02022	a	Horizontal	DIP	2	13.5	6.5		
11	KM02023	e	Vertical	SMT	3	16	NA		
12	KM02027	1.4mm	Vertical	PIP	8	19.5	NA		
13	KM02028	0.8mm	Vertical	PIP	21	25	NA		
14	KM02031	g	Horizontal	DIP	4	20	7		•
15	KMDC0001D202122	d	Horizontal	PIP	3	50	6.50	•	
16	KMDC0001D207120	d	Horizontal	DIP	3	12	6.50	•	
17	KMDC0001D257120	d	Horizontal	DIP	3	12	6.50	•	
18	KMDC0002D202122	d	Vertical	PIP	3	50	16.30	•	
19	KMDC0002D203120	d	Vertical	DIP	3	12	16.00	•	
20	KMDC0003D20A120	d	Vertical	DIP	2	18	13.80	•	
21	KMDC0005D133120	b	Horizontal	DIP	1.5	16.1	4.70	•	
22	KMDC00062D257180	f	Vertical	WELDING	3.5	19	11.60		
23	KMDC0007D253182	f	Horizontal	DIP	3	12	3.50	•	
24	KMDC0008D203120	d	Horizontal	DIP	3	12	6.50	•	
25	KMDC0012D257142	f	Horizontal	PIP	10	20	2.25	•	
26	KMDC003E	a、b	Horizontal	DIP	2	6.3	2.5	•	
27	KMDC0045D137120	b	Vertical	DIP	1	12	14.00	•	
28	KMDC005	c、d、e、f	Horizontal	DIP/WELDING	3	16	6.5	•	
29	KMDC0059D167120	c	Horizontal	DIP	2	12	2.90	•	
30	KMDC005M200RTGBCT1R	d	Horizontal	THR	3	16	6.5	•	
31	KMDC0060D137120	b	Horizontal	DIP	1	12	4.70	•	
32	KMDC0064S250182	f	Vertical	SMT	3	50	14.00	•	
33	KMDC0070D061180	0.9mm	Vertical	PIP	8	25	13.10		
34	KMDC0076D041182	0.9mm	Vertical	PIP	4	20	13.50		
35	KMDC0105S170182	c	Horizontal	SMT	2	12	14.00	•	
36	KMDC012	c、d、e、f	Vertical	DIP/WELDING	3	16	N/A	•	
37	KMDC013A	c、d、e、f	Vertical	DIP/WELDING	3	16	N/A	•	
38	KMDC015	d、f	Vertical	DIP/WELDING	3	16	N/A	•	
39	KMDC033	a、b	Horizontal	SMT	0.5	12	2.5	•	
40	KMDC036	d、e、f	Horizontal	PIP	3	16	6	•	
41	KMDC044	d	Horizontal	DIP	5	12	3.5		
42	KMDC044H	c、d、e	Horizontal	DIP	3	16	3.5	•	

	P/N	Center Pin Ø a.1.00mm e.2.35mm b.1.30mm f.2.50mm c.1.65mm g.3.00mm d.2.00mm	直立、臥式 Vertical Horizontal	SMT DIP PIP WELDING (焊線)	額定 電流 (A)	額定 電壓 (V)	中心高 Center Height (mm)	開關 Switch	鎖螺絲孔 Lock Hole
43	KMDC045	e	Horizontal	PIP	5	12	5.1		
44	KMDC045A	f	Horizontal	PIP	0.5	12	2.3	•	
45	KMDC050	d	Horizontal	SMT	5	12	6.5		
46	KMDC062	g	Horizontal	DIP	5	12	7.0		
47	KMDC080	1.2mm	Horizontal	PIP	2	13.5	4	•	
48	KMDC083	d、e、f	Vertical	WELDING	2	6.3	N/A		
49	KMDC089	d	Horizontal	DIP	3	16	6.5	•	•
50	KMDC092A130RTGBCA1R	b	Horizontal	THR+SMT	5	12	2.35	•	
51	KMDC098	c	Horizontal	SMT	2	6.3	3	•	
52	KMDC153	1.4mm	Vertical	DIP	8	24	NA		
53	KMDC450	f	Horizontal	PIP	3	16	5.1		
54	KMDZ0009D023101	/	Vertical	DIP	0.5	3	/		
55	KMDZ0011S022082	/	Vertical	SMT	0.5	3	/		

PHONE JACK

Ø2.5



KM03004



KM03005



KMPJ2008A



KMPJ2010



KMPJ2013



KMPJ2016



KMPJ2511S051182



KMPJ2517S061182

Ø3.5



KM35004B



KM35010F



HTJ-035-09



HTJ-035-12



HTJ-035-13



HTJ-035-18



HTJ-035-20



HTJ-035-21



HTJ-035-23



HTJ-035-24



HTJ-035-28



HTJ-035-35



KMPJ3001




KMPJ3006C



KMPJ3007



KMPJ3007A



KMPJ3015



KMPJ3023



KMPJ3024



KMPJ3026



KMPJ3028




KMPJ3065



KMPJ3082



KMPJ3084



KMPJ3105



KMPJ3120



KMPJ3158



KMPJ3179A



KMPJ3555



KMPJ3560



KMJ3005D167B81



KMJ3523S060182



KMJ3565D0611B2



KMJ3568D080182



KMJ3568S080181



KMJ3579S051182



KMJ3581D087191



KMTJ3536S061182



KMTJ3582S040282



KMJ3G97D091182

Ø6.3



HTJ-064-03



HTJ-064-04



HTJ-064-05



HTJ-064-11

PHONE JACK



HTJ-064-12



HTJ-064-13



HTJ-064-14



HTJ-064-22



HTJ-064-277



KMPJ602A



KMPJ606A



KMPJ610



KMPJ615



KMPJ630VA



KMPJ631VD



KMPJ6608VA

	P/N	Ø	金屬插口 Metal Socket	中心高 Center Height (mm)	Pole	帶開關 Switch	直立、臥式 Vertical Horizontal	沉版 Middle Mount	SMT DIP PIP WELDING (焊線)	插拔次數 Durability	頭部螺牙 Connector Thread
1	KM03004	2.5		2.5	3		Horizontal		DIP	5000	
2	KM03005	2.5		2.0	3		Horizontal		SMT	5000	
3	KMPJ2008A	2.5		2.5	3	•	Horizontal		SMT	5000	
4	KMPJ2010	2.5	•	2.5	3		Horizontal		DIP	5000	
5	KMPJ2013	2.5	•	5	2	•	Horizontal		DIP/WELDING	5000	
6	KMPJ2016	2.5	•	N/A	3		Vertical		WELDING	5000	
7	KMPJ2511S051182	2.5		2.40	4	•	Horizontal		SMT	5000	
8	KMPJ2517S061182	2.5		0.40	4	•	Horizontal	•	SMT	5000	
1	KM35004B	3.5		3.65	3		Horizontal		DIP	5000	
2	KM35010F	3.5		4.0	4		Horizontal		DIP	5000	
3	HTJ-035-09	3.5		6.5	3		Horizontal		DIP	5000	
4	HTJ-035-12	3.5		6.5	3		Horizontal		DIP	5000	
5	HTJ-035-13	3.5	•	6.5	3		Horizontal		DIP	5000	
6	HTJ-035-18	3.5	•	NA	3		Vertical		DIP	5000	
7	HTJ-035-20	3.5		2.2	3		Horizontal		DIP	5000	
8	HTJ-035-21	3.5		2.25	3		Horizontal		DIP	5000	
9	HTJ-035-23	3.5	•	6.5	3		Horizontal		DIP	5000	
10	HTJ-035-24	3.5		2.25	4		Horizontal		DIP	5000	
11	HTJ-035-28	3.5		NA	3		Vertical		DIP	5000	
12	HTJ-035-35	3.5		2.2	3		Horizontal		SMT	5000	
13	KMPJ3001	3.5	•	N/A	2	•	Vertical		DIP/WELDING	5000	
14	KMPJ3006C	3.5	•	5	3	•	Horizontal		DIP	5000	
15	KMPJ3007	3.5	•	2.5	3	•	Horizontal		DIP	5000	
16	KMPJ3007A	3.5	•	2.5	3	•	Horizontal		DIP	5000	

	P/N	Ø	金屬插口 Metal Socket	中心高 Center Height (mm)	Pole	帶開關 Switch	直立、臥式 Vertical Horizontal	沉版 Middle Mount	SMT DIP PIP WELDING (焊線)	插拔次數 Durability	頭部螺牙 Connector Thread
17	KMPJ3015	3.5		6.5	3	•	Horizontal		DIP	5000	
18	KMPJ3023	3.5	•	7	2	•	Horizontal		DIP	5000	
19	KMPJ3024	3.5	•	7	3	•	Horizontal		DIP	5000	
20	KMPJ3026	3.5		2.55	3		Horizontal		SMT	5000	
21	KMPJ3028	3.5		2.5	3	•	Horizontal		PIP	5000	
22	KMPJ3065	3.5		2.5	3	•	Horizontal		SMT	5000	
23	KMPJ3082	3.5	•	2.5	3	•	Horizontal		SMT	5000	
24	KMPJ3084	3.5		N/A	4		Vertical		SMT	5000	
25	KMPJ3105	3.5		2.5	4	•	Horizontal		SMT	5000	
26	KMPJ3120	3.5		3.75	3	•	Horizontal		DIP	5000	
27	KMPJ3158	3.5		N/A	3	•	Vertical		DIP	5000	
28	KMPJ3179A	3.5		N/A	3	•	Vertical		DIP	5000	
29	KMPJ3555	3.5		2.25	4	•	Horizontal		SMT	5000	
30	KMPJ3560	3.5		5.5	4	•	Horizontal		SMT+PIP	5000	
31	KMJ3005D167B81	3.5		2.25	3	•	Horizontal		DIP	5000	
32	KMJ3523S060182	3.5		2.25	4	•	Horizontal		SMT	5000	
33	KMJ3565D0611B2	3.5	•	0.00	4	•	Horizontal	•	PIP	5000	
34	KMJ3568D080182	3.5		2.50	4	•	Horizontal		DIP	5000	
35	KMJ3568S080181	3.5		2.50	4	•	Horizontal		SMT	5000	
36	KMJ3579S051182	3.5		2.50	3	•	Horizontal		SMT	5000	
37	KMJ3581D087191	3.5		15.50	4	•	Vertical		DIP	5000	
38	KMTJ3536S061182	3.5		0.00	4	•	Horizontal	•	SMT	5000	
39	KMTJ3582S040282	3.5		2.50	3	•	Horizontal		SMT	5000	
40	KMJ3G97D091182	3.5		2.20	3	•	Horizontal		DIP	5000	
1	HTJ-064-03	6.3	•	12.2	3		Horizontal		DIP	5000	
2	HTJ-064-04	6.3		6.5	3		Horizontal		DIP	5000	
3	HTJ-064-05	6.3	•	6.5	3		Horizontal		DIP	5000	
4	HTJ-064-11	6.3	•	6.5	3		Horizontal		DIP	5000	
5	HTJ-064-12	6.3	•	6.5	3		Horizontal		DIP	5000	•
6	HTJ-064-13	6.3	•	8.0	3		Horizontal		WELDING	5000	•
7	HTJ-064-14	6.3	•	NA	3		Vertical		WELDING	5000	•
8	HTJ-064-22	6.3	•	6.5	3		Horizontal		DIP	5000	•
9	HTJ-064-277	6.3	•	6.5	3		Horizontal		DIP	5000	•
10	KMPJ602A	6.3		6.5	3	•	Horizontal		DIP	5000	•
11	KMPJ606A	6.3		6.5	3	•	Horizontal		DIP	5000	•
12	KMPJ610	6.3	•	6.5	3	•	Horizontal		DIP	5000	•
13	KMPJ615	6.3	•	12.5	3	•	Horizontal		DIP	5000	•
14	KMPJ630VA	6.3	•	N/A	3	•	Vertical		DIP	5000	•
15	KMPJ631VD	6.3	•	N/A	3	•	Vertical		DIP	5000	•
16	KMPJ6608VA	6.3	•	N/A	3	•	Vertical		DIP	5000	•

PIN JACK




HSP-241




HSP-242



HSP-244




HSP-246



HSP-248



HSP-252



HSP-253



HTJ-032-03



HTJ-032-04



HTJ-032-05



HTJ-032-23



HTJ-032-24



HTJ-032-25



HTJ-032-33



HTJ-032-34



HTJ-032-35



KMMZ1001



KMMZ1002



KMMZ1006



KMMZ1007



KMMZ1018



KMMZ1019



KMMZ1029

	P/N	Pole	直立、臥式 Vertical Horizontal	DIP PIP	鎖螺絲 Screw Lock	封口片 Shield Plate
1	HSP-241	1	Horizontal	DIP	•	
2	HSP-242	1*2	Horizontal	DIP	•	•
3	HSP-244	2*2	Horizontal	DIP	•	•
4	HSP-246	2*3	Horizontal	DIP	•	•
5	HSP-248	2*4	Horizontal	DIP	•	•
6	HSP-252	2*1	Horizontal	DIP	•	•
7	HSP-253	3*1	Horizontal	DIP	•	•
8	HTJ-032-03	1	Horizontal	DIP		•
9	HTJ-032-04	1	Vertical	DIP		•
10	HTJ-032-05	1	Horizontal	DIP		
11	HTJ-032-23	2*1	Horizontal	DIP		
12	HTJ-032-24	2*1	Vertical	DIP		•
13	HTJ-032-25	2*1	Horizontal	DIP		•
14	HTJ-032-33	3*1	Horizontal	DIP		•
15	HTJ-032-34	3*1	Horizontal	DIP		•
16	HTJ-032-35	3*1	Horizontal	DIP		•
17	KMMZ1001	1*2	Horizontal	DIP	•	•
18	KMMZ1002	1*2	Horizontal	DIP	•	•
19	KMMZ1006	3*2	Horizontal	DIP	•	•
20	KMMZ1007	3*1	Horizontal	DIP	•	•
21	KMMZ1018	1	Horizontal	DIP	•	•
22	KMMZ1019	1	Vertical	DIP	•	•
23	KMMZ1029	1*3	Horizontal	DIP	•	•



KMRJ001



KMRJ003



KMRJ005



KMRJ007



KMRJ008



KMRJ009



KMRJ010



KMRJ011



KMRJ012



KMRJ013



KMRJ015



KMRJ016



KMRJ017



KMRJ201



KMRJ202

	P/N	鐵殼 Shield	Led	直立、臥式 Vertical Horizontal	沉版 Middle Mount	SMT DIP	反向插拔 Reverse
1	KMRJ001	•		Horizontal		DIP	•
2	KMRJ003	•	•	Horizontal		DIP	•
3	KMRJ005			Horizontal		DIP	
4	KMRJ007	•	•	Horizontal		DIP	•
5	KMRJ008	•	•	Horizontal		DIP	•
6	KMRJ009	•		Horizontal		SMT	•
7	KMRJ010			Horizontal		DIP	
8	KMRJ011			Horizontal		DIP	•
9	KMRJ012		•	Horizontal	•	DIP	•
10	KMRJ013		•	Horizontal		DIP	•
11	KMRJ015			Vertical		DIP	N/A
12	KMRJ016			Vertical		DIP	N/A
13	KMRJ017	•	•	Horizontal		DIP	•
14	KMRJ201			Horizontal		DIP	•
15	KMRJ202		•	Vertical		DIP	N/A

FPC 0.5 Pitch



KMMZ7001



KMMZ7003



KMMZ7004



KMMZ7005



KMMZ7006



KMMZ7007



KMMZ7008



KMMZ7009



KMMZ7012



KMMZ7013



KMMZ7016



KMMZ7017



KMMZ7020



KMMZ7021



KMMZ7022

	P/N	Pin Count	Pitch (mm)	直立、臥式、夾板 Vertical Horizontal Splint	接觸點位置 Contact (上接點 / 下接點) (Top/Bottom)	DIP SMT	Zif None Zif 省力機構
1	KMMZ7001	3~40	0.5	Horizontal	Bottom	SMT	•
2	KMMZ7003	3~40	0.5	Horizontal	Top	SMT	•
3	KMMZ7004	3~40	0.5	Horizontal	/	SMT	
4	KMMZ7005	3~40	0.5	Horizontal	Top	SMT	•
5	KMMZ7006	3~40	0.5	Horizontal	Bottom	SMT	•
6	KMMZ7007	3~40	0.5	Horizontal	Bottom	SMT	•
7	KMMZ7008	3~40	0.5	Vertical	/	SMT	•
8	KMMZ7009	3~40	0.5	Vertical	/	SMT	•
9	KMMZ7012	3~40	0.5	Vertical	/	SMT	•
10	KMMZ7013	3~40	0.5	Horizontal	Top	SMT	•
11	KMMZ7016	3~40	0.5	Vertical	/	SMT	•
12	KMMZ7017	3~40	0.5	Horizontal	/	SMT	
13	KMMZ7020	3~40	0.5	Vertical	/	SMT	•
14	KMMZ7021	3~40	0.5	Horizontal	Bottom	SMT	•
15	KMMZ7022	3~40	0.5	Horizontal	Top	SMT	•

FPC 1.0 Pitch



KMMZ7101



KMMZ7102



KMMZ7103



KMMZ7104



KMMZ7105



KMMZ7107



KMMZ7108



KMMZ7110



KMMZ7111



KMMZ7112



KMMZ7113



KMMZ7114



KMMZ7115



KMMZ7116



KMMZ7119

	P/N	Pin Count	Pitch (mm)	直立、臥式、夾板 Vertical Horizontal Splint	接觸點位置 Contact (上接點 / 下接點) (Top/Bottom)	DIP SMT	Zif None Zif 省力機構
1	KMMZ7101	3~40	1.0	Vertical	/	SMT	•
2	KMMZ7102	3~40	1.0	Horizontal	Bottom	SMT	•
3	KMMZ7103	3~40	1.0	Vertical	/	SMT	•
4	KMMZ7104	3~40	1.0	Horizontal	/	SMT	
5	KMMZ7105	3~40	1.0	Horizontal	Bottom	DIP	•
6	KMMZ7107	3~40	1.0	Vertical	/	DIP	•
7	KMMZ7108	3~40	1.0	Horizontal	Top	SMT	•
8	KMMZ7110	3~40	1.0	Vertical	/	SMT	•
9	KMMZ7111	3~40	1.0	Vertical	/	DIP	
10	KMMZ7112	3~40	1.0	Horizontal	/	SMT	
11	KMMZ7113	3~40	1.0	Vertical	/	SMT	
12	KMMZ7114	3~40	1.0	Vertical	/	DIP	
13	KMMZ7115	3~40	1.0	Horizontal	/	DIP	
14	KMMZ7116	3~40	1.0	Vertical	/	DIP	
15	KMMZ7119	3~40	1.0	Horizontal	Bottom	SMT	•



HJC-020A-P



HJC-020-P



HJC-021A-P



HJC-021-P



HJC-022A-P



HJC-022-P



HJC-023A-P



HJC-023-P



HJC-027A-P



HJC-027-P



HJC-037AP



HJC-037P



HJC-038A-CVP



HJC-038-CVP



KM01005



KMLZ14104



KMLZ1411



KMLZ1412



KMLZ142



KMLZ142B



KMLZ143P



KMLZ148P



KMLZ149F1



KMLZ61WP5P3



KMLZ61WP5S1



KMLZ62P19P6




KMLZ63S1S1



KMLZ64P5P3

	P/N	V	A	Safety Regulations	Plug Specifications
1	HJC-020A-P	250	2.5		C8
2	HJC-020-P	250	2.5		C8
3	HJC-021A-P	250	2.5		C8
4	HJC-021-P	250	2.5		C8
5	HJC-022A-P	250	7		C8
6	HJC-022-P	250	7		C8
7	HJC-023A-P	125/250	1/7		C8
8	HJC-023-P	125/250	1/7		C8
9	HJC-027A-P	250	2.5		C8
10	HJC-027-P	250	2.5		C8
11	HJC-037AP	250	2.5		C8
12	HJC-037P	250	2.5		C8
13	HJC-038A-CVP	125/250	2.5/7		C8
14	HJC-038-CVP	125/250	2.5/7		C8
15	KM01005	125/250	2.5/7		C6
16	KMLZ14104	250	15		C14
17	KMLZ1411	250	15		C14
18	KMLZ1412	250	2.5		C14
19	KMLZ142	250	10		C14
20	KMLZ142B	250	10		C14
21	KMLZ143P	250	10		C14
22	KMLZ148P	250	15		C14
23	KMLZ149F1	250	2.5		C12
24	KMLZ61WP5P3	250	2.5A		C6
25	KMLZ61WP5S1	250	2.5A		C6
26	KMLZ62P19P6	250	2.5		C6
27	KMLZ63S1S1	250	2.5		C6
28	KMLZ64P5P3	250	2.5A		C6




KMDBHD1PHDA172A1CAN2



KMDPHDDPHD01720012N2



KMDPHDDPHD01722012N0



KMDVDPV4DPD112LAX1N1



KMHDA20F001



KMHDA20F001CRSLBFS1R



KMHDA20F002



KMHDA20F003



KMHDA20F005



KMHDA20F006



KMHDA20F008



KMHDA20F009



KMHDA20F010



KMHDA20F011



KMHDA20F012



KMHDA20F013



KMHDA20F038CSSLBFS1R



KMHDA21F302ARSLBFS1R



KMHDF19LBACB01AR



KMHDF19LBACB02AR



KMHDF38LBACB01AR



KMRS151T1



KMUHF24PB0ACNQB00AR

	P/N	直立、臥式 Vertical Horizontal	沉板、堆疊 Middle Mount Stacked	反向 插拔 Reverse	SMT DIP PIP	中心高 Center Height (mm)	懸空墊高 Stand-Off (mm)	鎖螺絲孔 Lock Hole
1	KMDBHD1PHDA172A1CAN2	Horizontal	Stacked		DIP	15.88		
2	KMDPHDDPHD01720012N2	Horizontal	Stacked		DIP	12		
3	KMDPHDDPHD01722012N0	Horizontal	Stacked		DIP	15.3		
4	KMDVDPV4DPD112LAX1N1	Horizontal	Stacked		DIP	16.7		
5	KMHDA20F001	Horizontal			SMT	3.39		
6	KMHDA20F001CRSLBFS1R	Horizontal			SMT	3.39	0.1	
7	KMHDA20F002	Vertical		N/A	SMT	N/A		
8	KMHDA20F003	Horizontal			SMT	3.36		
9	KMHDA20F005	Horizontal			PIP	3.32		
10	KMHDA20F006	Horizontal			SMT	5.7		
11	KMHDA20F008	Vertical		N/A	SMT	N/A		•
12	KMHDA20F009	Horizontal	Middle Mount	•	PIP	0.32		
13	KMHDA20F010	Vertical		N/A	SMT	N/A		
14	KMHDA20F011	Horizontal			SMT	3.4		
15	KMHDA20F012	Horizontal			SMT	3.3		•
16	KMHDA20F013	Horizontal			PIP	3.32		•
17	KMHDA20F038CSSLBFS1R	Vertical		N/A	SMT	/	0.45	
18	KMHDA21F302ARSLBFS1R	Horizontal			SMT	3.43	0.4	
19	KMHDF19LBACB01AR	Horizontal	Middle Mount		DIP			
20	KMHDF19LBACB02AR	Horizontal	Middle Mount	•	DIP			
21	KMHDF38LBACB01AR	Horizontal	Stacked		DIP	24.8		
22	KMRS151T1	Vertical	Stacked	N/A	DIP			
23	KMUHF24PB0ACNQB00AR	Horizontal	Stacked		DIP			


SIM&Micro SD CARD CONN.



KMDS0PL13001202GH




KMMS0PP06020643GT



KMNS0DD14000610G



KMNS0HG14000609G



KMNS0PP12000602G



KMS0DD15000803T



KMS0PL15000628G




KMS0PP15000617G



KMS1PL15000629G



KMT1PL13000813G



KMT1PP19010805GB

SIM+Micro SD CARD CONN.(2 in 1)



KMTS0DL21001609G



KMTS0PL13002001GH

	P/N	卡片規格 Card Specification	取卡型態 Card Access Type	定位柱 Positioning Column	接點數 Number of Contacts	防呆 Mistake Proof	熱插拔 Support Hot Swap Support Normal Open/ Close	總高 Total Height (mm)
1	KMS0PL13001202GH	Nano SIM	PIN PUSH		12	•	Open	1.35
2	KMMS0PP06020643GT	Micro SIM	PUSH PUSH		6	•	Close	1.85
3	KMNS0DD14000610G	Nano SIM	PUSH PULL		6	•	Open	1.4
4	KMNS0HG14000609G	Nano SIM	HINGE		6	•	Open	1.35
5	KMNS0PP12000602G	Nano SIM	PUSH PUSH		6	•	Open	1.15
6	KMS0DD15000803T	Micro SIM	PUSH PULL		8	•	Not Support	1.5
7	KMS0PL15000628G	Nano SIM	PIN PUSH		6	•	Close	1.47
8	KMS0PP15000617G	Micro SIM	PUSH PUSH		6	•	Close	1.5
9	KMS1PL15000629G	Nano SIM	PIN PUSH	•	6	•	Open	1.45
10	KMT1PL13000813G	Micro SD	PIN PUSH		8	N/A	N/A	1.35
11	KMT1PP19010805GB	Micro SD	PUSH PUSH	•	8	N/A	N/A	1.85
12	KMTS0DL21001609G	Nano SIM & Micro SD	PIN PUSH		6+8	N/A	Close	2.1
13	KMTS0PL13002001GH	Dual Nano SIM & Micro SD	PIN PUSH		6+8	N/A	Close	1.35

COMPANY PROFILE

關於我們

明峯電子股份有限公司是一家在製造各種數位通信連接器的優良公司；提供始終如一的高品質、具競爭力的價格、卓越的性能和高效的服務。

公司成立於 1978 年 2 月 28 日，董事長 K.M.Sun；公司資本金 250 萬美元，擁有中國工廠、香港物流倉庫等 250 名員工；中國工廠佔地 13,000 平方米，位於重慶市梁平區，由馬總經理經營管理，實收資本為人民幣 20,000,000 元，員工 200 人。註冊資本為人民幣 10,000,000 元。

具有最新技術製造 AC/DC 插座、影音插座、USB Series、Switch Series、記憶卡插槽、RJ-45 插座和其他組件，已成為大多數日本電子製造商值得信賴的供應商，開發用於筆電、手機、穿戴行動裝置、放大器、電視、嵌入式系統、樂器、VCR、5G 和各種電器與 3C 產品的新組件。

現在只需發送電子郵件，由我們經驗豐富的產品工程師成為您設計產品的顧問。

核心價值

創造驚人的整合供應鏈服務。

我們的中國工廠於 1989 年投產，並於 2018 年在重慶、東莞兩地區擴大產能。

我們已成為全球電子元器件、周邊設備和連接器市場的專業供應商之一。

ABOUT US

KUNMING ELECTRONICS CO., LTD. is a well establish company in the manufacturing of a wide range of digital communication connector and cable. We are consistent high quality, competitive price, excellent performance and efficient services.

Holding 44 Years of Experience

Kunming Electronics Co., Ltd was established on February 28, 1978, with Chairman and President, Mr. K.M. Sun. The company has a capital of USD 2,500,000 with 250 employees including the China factory, Hong Kong Logistics Warehouse. Our China factory which is 13,000 square meters is located in Zhufeng road, Liangping industry park, Shuanggui town, Liangping country, Chongqing city, China, China run by factory GM, Mr. Ma with a paid-up capital of RMB 20,000,000 and 200 employees. The registered capital is RMB 10,000,000.

Our Products

By using the latest technology to manufacture AC/DC sockets, Audio/Video jacks, I/O port connectors, and other components, we have become a trusted supplier for majority of Japanese electronics manufactures. We are involved in developing new components for computer applications, amplifiers, TVs, embedded system, musical instruments, VCRs, Networking Devices, Consumer Products and various electrical appliances.

We have experienced technical engineers to be your consultant for your future design.

Just send an email to us now.

Core Value

Creating amazing for integrated supply chain service.

Our China factory in operation in 1989. And expanding production capacity in Chongqing in 2018.

We have become one of the top solution provider of electronic components, peripheral and connectors global market. Production line and QC department are always devoted to make perfect products.

CHONG QING FACTORY

DONGGUAN FACTORY

TAIWAN HEAD OFFICE

HONG KONG OFFICE

KUNMING Product Guide

TAIWAN HEAD OFFICE

📍 6/F., No.110, Sec.2, Keelung Road, Taipei 106, Taiwan, R.O.C.
☎ 886-2-23770022
☎ 886-2-23780000
🌐 www.kunming.com.tw
✉ 國內業務: kmb06@kunming.com.tw
International Sales: kmb02@kunming.com.tw

HONG KONG OFFICE

📍 Unit 6, 11/F., Chai Wan Industrial City Phase 1,
No.60, Wing Tai Road, Chai Wan, Hong Kong
☎ 852-28892280
☎ 852-28890408
✉ pauline@kunming.com.tw

CHONG QING FACTORY

📍 Liangping County, Chongqing City, China

DONGGUAN FACTORY

📍 Tangxia Town, Dongguan City, Guangdong province, China



KUNMING
www.kunming.com.tw

